Patient Information Leaflet

Scheduling status Schedule 0

Proprietary name, strength and pharmaceutical form

Nectadyn Cough Syrup

Read all of this leaflet carefully because it contains important information for you.

Nectadyn is available without a doctor's prescription, for you to treat a mild illness. Nevertheless, you still need to use Nectadyn carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Do not share Nectadyn with any other person.
- Ask your pharmacist if you need more information or advice.
- You must see a doctor if your symptoms worsen or do not improve.

1. What Nectadyn contains

Each 100 g contain:

The active substances are:

Baptisia tinctoria D6 4,8 g; Drosera rotundifolia D4 4,8 g; Hydrastis canadensis D6 4,8 g; Ipecacuanha D4 4,8 g; Rumex crispus D4 4,8 g; Sambucus nigra D4 4,8 g.

Preservatives: Propylene glycol 0,9 %; Methylhydroxybenzoate 0,08 %; Propylhydroxybenzoate 0,02 %.

2. What Nectadyn is used for

Pharmacological classification: D33.2 Homeopathy.

Discipline of the medicine: Homeopathy.

Nectadyn is prepared in accordance with homeopathic principles and is proposed for relief from acute and chronic coughs of all origins e.g. dry cough, expectorant cough, whooping cough, croup.

3. Before you take Nectadyn:

Do not take Nectadyn:

• If you are hypersensitive (allergic) to the active substances or any of the other ingredients of Nectadyn.

Pregnancy and breastfeeding

If you are pregnant or breastfeeding your baby while taking this medicine, please consult your doctor, pharmacist or other healthcare professional for advice.

Take special care with Nectadyn:

• If you are a diabetic.

You can use Nectadyn but you have to realise that 15 ml of Nectadyn contain an average of 7,2 g of carbohydrates (0,6 BU), 10 ml about 4,8 g of carbohydrates (0,4 BU) and 5 ml about 2,4 g of carbohydrates (0,2 BU).

Taking Nectadyn with food and drink:

Nectadyn may be added to warm tea or other warm drinks, but not to milk.

Taking other medicines with Nectadyn:

If you are taking other medicines on a regular basis, including complementary or traditional medicines, the use of Nectadyn may cause undesirable interactions. Please consult your doctor, pharmacist or other healthcare professional for advice.

4. How to take Nectadyn

Do not share medicines prescribed for you with any other person. Always take Nectadyn exactly as your doctor or pharmacist has instructed you. You should check with your doctor or pharmacist if you are unsure. The usual dose is:

ACUTE

Adults: 10-15 ml 3-5 times daily. Children (3-10 years old): 10 ml 3-5 times daily. Children (6 months – 3 years old): 5 ml 3-5 times daily. Babies (0-6 months old): on the advice of a medical practitioner. **CHRONIC** Adults: 5 ml 3-5 times daily. Children (3-10 years old): 2,5 ml 3-5 times daily.

It is recommended to clean the enclosed measuring device after each use.

If you take more Nectadyn than you should:

In the event of an overdose, consult your doctor or pharmacist. If neither is available, seek help at the nearest hospital or poison control centre.

If you forget to take Nectadyn:

Do not take a double dose to make up for forgotten individual doses.

5. Possible side effects

Nectadyn can have side effects.

None known.

Not all side effects reported for Nectadyn are included in this leaflet. Should your general health worsen while taking this medicine, please consult your doctor, pharmacist or other healthcare professional for advice.

If you notice any side effects not mentioned in this leaflet, please inform you doctor or pharmacist.

6. Storing and disposing of Nectadyn

Keep all medicines out of the reach and sight of children.

- Store in a cool (under 25 °C) place.
- Replace cap tightly.

7. Presentation of Nectadyn

125 ml brown bottles PET.

8. Identification of Nectadyn

Clear syrup with a taste of honey.

9. Registration number / Reference number

To be allocated by the SAHPRA.

10. Manufactured in Belgium

11. Name and address of the holder of the certificate of registration

ModHomCo (Pty) Ltd 96, Amsterdam Street, Clubview, Centurion 0157

12. Date of publication

February 2014

This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.